

Alluvion[™] Max Organosilicone Spreader

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: Alluvion[™] Max Organosilicone Spreader

Other means of identification

Synonyms: Alluvion[™] Max
Listed by the Organic Materials Review Institute (OMRI) for use in organic production

Recommended use and restriction on use

Recommended use: Agricultural material

Restrictions on use: Not for aerosol use

Manufacturer/Importer/Distributor Information : Arkion Life Sciences LLC
551 Mews Drive, Suite J,
New Castle, Delaware 19720

Contact Email : info@arkionls.com

Telephone : General information
+1-302-504-7400

Emergency telephone number

Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Acute toxicity (Inhalation - vapor)	Category 4
Serious Eye Damage/Eye Irritation	Category 1
Skin sensitizer	Category 1B

Label Elements

Hazard Symbol:

Alluvion™ Max



Signal Word: Danger

Hazard Statement: H332; Harmful if inhaled.
H318; Causes serious eye damage.
H317; May cause an allergic skin reaction.

Precautionary Statements

Prevention: Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Disposal: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Polyalkyleneoxide modified Heptamethyltrisiloxane	134180-76-0	50 - <100%	No data available.

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable training. Do not give victim anything to drink if he is unconscious. Get medical attention if symptoms occur.

Alluvion™ Max

Ingestion:	If swallowed, do NOT induce vomiting. Give a glass of water. Do not give victim anything to drink if he is unconscious. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if symptoms persist.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, trained personnel should give oxygen. Get medical attention immediately.
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms persist. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if symptoms persist.

Most important symptoms/effects, acute and delayed

Symptoms:	No data available.
Hazards:	No data available.

Indication of immediate medical attention and special treatment needed

Treatment:	There is no specific antidote. Treatment is symptomatic and supportive.
-------------------	---

5. Fire-fighting measures

General Fire Hazards:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.
------------------------------	--

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	All standard extinguishing agents are suitable.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical:	In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.
--	--

Special protective equipment and precautions for fire-fighters

Alluvion™ Max

Special fire-fighting procedures:

Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Caution: Contaminated surfaces may be slippery. Avoid contact with skin and eyes. See Section 8 of the SDS for Personal Protective Equipment. Keep out of reach of children.

Methods and material for containment and cleaning up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

Environmental Precautions:

Do not allow runoff to sewer, waterway or ground.

7. Handling and storage

Precautions for safe handling:

Sensitivity to static discharge is not expected. Do not taste or swallow. Do not get in eyes, on skin, on clothing. Use personal protective equipment as required. Wash hands after handling.

Conditions for safe storage, including any incompatibilities:

Keep container closed. Keep away from sources of ignition - No smoking. Use original container or packaging of similar material of construction.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Appropriate Engineering Controls

Provide eyewash station and safety shower. General (mechanical) room ventilation is expected to be satisfactory if handled at low temperatures or in covered equipment.

Individual protection measures, such as personal protective equipment (PPE)

General information:

General (mechanical) room ventilation is expected to be satisfactory if handled at low temperatures or in covered equipment.

Eye/face protection:

Safety glasses with side shields

Skin Protection

Alluvion™ Max

Hand Protection:	Use chemical-resistant, impervious gloves.
Other:	Wear suitable protective clothing and eye/face protection.
Respiratory Protection:	If inhalation exposure is expected, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).
Hygiene measures:	Do not breathe vapour/aerosol. When using do not eat, drink or smoke. Use only with adequate ventilation. Wash thoroughly after handling.

9. Physical and chemical properties

Appearance

Physical state:	liquid
Form:	liquid
Color:	Pale yellow
Odor:	Polyether
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	-50 °C Pour Point
Initial boiling point and boiling range:	> 150 °C (1,013 hPa) Copolymer
Flash Point:	143 °C (ASTM D 93)
Evaporation rate:	< 1 (n-Butyl acetate=1)
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Heat of combustion:	No data available.
Vapor pressure:	< 1.33 hPa (20 °C)
Vapor density:	Heavier than air
Density:	1.002 g/cm ³ (25 °C)
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	Dispersible
Solubility (other):	No data available.
Partition coefficient (n-octanol/water) Log	No data available.
Pow:	
Auto-ignition temperature:	No data available.

Alluvion™ Max

Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
VOC:	24.5 g/l ;

10. Stability and reactivity

Reactivity:	No dangerous reaction if used as recommended.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerization does not occur.
Conditions to avoid:	None known.
Incompatible Materials:	None known.
Hazardous Decomposition Products:	In case of fire, gives off (emits): Carbon oxides Oxides of silicon. Carbon monoxide is highly toxic if inhaled; carbon dioxide in sufficient concentrations can act as an asphyxiant. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Alluvion™ Max**Information on toxicological effects****Acute toxicity (list all possible routes of exposure)****Oral****Product:** LD 50 (Rat): > 2,000 mg/kg**Dermal****Product:** LD 50 (Rat): > 2,000 mg/kg**Inhalation****Product:** LC50 (Rat): > 1.076 mg/l
ATEmix : 13.59 mg/l**Repeated dose toxicity****Product:** NOAEL (Rat, Oral): 300 mg/kg**Skin Corrosion/Irritation****Product:** OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 4 h): Non irritating Semi-occlusive**Serious Eye Damage/Eye Irritation****Product:** OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Strongly irritating.**Respiratory or Skin Sensitization****Product:** , Bühler-Patch-Test (Guinea Pig) The product showed a sensitising effect. (according to OECD 406)
, Bühler-Patch-Test (Guinea Pig) the product tested at 5% dilution did not show a sensitising effect. (according to OECD 406)**Carcinogenicity****Product:** No data available.**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended:**

No carcinogenic components identified

Alluvion™ Max**Germ Cell Mutagenicity****In vitro****Product:** Ames-Test (OECD-Guideline 471): negative (not mutagenic)**In vivo****Product:** OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test): negative (not mutagenic)**Reproductive toxicity****Product:** No data available.**Specific Target Organ Toxicity - Single Exposure****Product:** No data available.**Specific Target Organ Toxicity - Repeated Exposure****Product:** No data available.**Aspiration Hazard****Product:** No data available.**Other effects:**

Aerosols of this product have a high inhalation toxicity potential. Therefore, when spraying this product and mixtures thereof with other components, exposure must be completely avoided. The use of respiratory equipment is mandatory for all spray applications. No adverse effects anticipated from available information. No data available.

12. Ecological information**Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** LC50 (Oncorhynchus Kisutch, 96 h): 2.4 mg/l**Aquatic Invertebrates****Product:** No data available.**Chronic hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.

Alluvion™ Max**Toxicity to Aquatic Plants**

Product: (Selenastrum capricornutum, 72 h): 8.1 mg/l
NOEC (Selenastrum capricornutum, 72 h): 1.0 mg/l

Persistence and Degradability**Biodegradation**

Product: 23.77 % (28 d, OECD-Guideline 301 B (CO₂ Evolution Test)) The product is not readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential**Bioconcentration Factor (BCF)**

Product: No data available.

Partition Coefficient n-octanol / water (log K_{ow})

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Polyalkyleneoxide modified No data available.
Heptamethyltrisiloxane

Other adverse effects: No data available.

13. Disposal considerations

General information: See Section 8 for information on appropriate personal protective equipment. The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local regulations.

Contaminated Packaging: Dispose of as unused product.

Alluvion™ Max**14. Transport information****DOT**

UN number or ID number: UN 3082
UN Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.
(Polyalkyleneoxide modified Heptamethyltrisiloxane)
Transport Hazard Class(es): 9
Packing Group: III

Environmental Hazards

Environmentally Hazardous: Yes
Marine Pollutant: Yes

IATA

UN number or ID number: UN 3082
UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (Polyalkyleneoxide modified
Heptamethyltrisiloxane)
Transport Hazard Class(es): 9
Packing Group: III

Environmental Hazards

Environmentally Hazardous: Yes
Marine Pollutant: Yes

IMDG Code

UN number or ID number: UN 3082
UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (Polyalkyleneoxide modified
Heptamethyltrisiloxane)
Transport Hazard Class(es): 9
Packing Group: III
EmS No.: F-A; S-F

Environmental Hazards

Environmentally Hazardous: Yes
Marine Pollutant: Yes

Alluvion™ Max**Special precautions for user:**

In accordance with National and International regulations for Dangerous Goods and applicable Special Provisions, products otherwise classified as a Dangerous Goods for transport, with Class 9, UN 3077 or UN 3082, need not be packed, marked, labeled or placarded as a Dangerous Goods, when shipped in Single or combination packagings, containing a net quantity per single or inner packaging of 5 L or less, for liquids or having a net mass of 5 kg or less, for solids

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Product is not transported in bulk.

15. Regulatory information**US Federal Regulations****TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**Hazard categories**

Acute toxicity (any route of exposure)
Serious eye damage or eye irritation
Respiratory or Skin Sensitization

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Alluvion™ Max**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

US State Regulations**US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Alluvion™ Max

Inventory Status:

Australia Industrial Chem. Act (AIC):	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	Q (quantity restricted)	Remarks: At least one component is not listed in DSL but all such components are listed in NDSL.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: Commercial Status: Active
REACH:	If purchased from Arkion Life Sciences LLC in New Castle , Delaware USA, all substances in this product have been registered by Arkion Life Sciences LLC or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

16. Other information, including date of preparation or last revision
HMIS Hazard ID

Health	<input type="text" value="3"/>
Flammability	<input type="text" value="1"/>
Physical Hazards	<input type="text" value="0"/>
PERSONAL PROTECTION	<input type="text"/>

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Alluvion[™] Max

Issue Date: 06/09/2025

Revision Date: No data

Version #: available. 0.1

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Arkion products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Arkion Life Sciences.